

-

## Product Data Sheet

Apyrum 1002.12

### *Product Description*

**The flame retardant Apyrum 1002.12 is an additive formulated to provide a system that offers a unique combination of advantages:**

- **High performance flame retardant properties such as smoke reduction, reduction in acidity of the residue, reduction in heat release, and self-extinguishing attributes.**
- **Environmentally friendly during its entire life cycle.**

Apyrum 1002.12 is a white salt. It is an environmentally-friendly system that consists mainly of natural carboxylic acid salts. All of the components of Apyrum can be classified and approved as food additives. It poses no harm to the human body and has a unique environmental profile.

Apyrum 1002.12 can be used in many different industrial applications such as building and construction materials, furniture, films, and cables. Apyrum 1002.12 has shown synergistic effects with some mineral fillers, phosphate ester plasticizers, ATH and other compounds, making it even more cost efficient.

### *Benefits and Features*

Apyrum is highly stable and durable.

Apyrum fulfills the demands made on a chemical flame retardant:

- High flame-retarding capabilities,
- Harmless to both health and the environment,
- Gives a variety of materials flame retardant properties,
- Cost- efficient.

### *System Description*

Apyrum products are based on a method that changes the physical and chemical processes that takes place when a material is exposed to high heat, e.g. fire. To achieve the optimal balance between the physical, mechanical, and fire properties of the material, Apyrum must interact with the physical and chemical properties of the material, both during application and when exposed to heat.

---

**Deflamo AB**  
Höjdrodergatan 32,  
SE-212 39 Malmö  
Sweden

Org. No. 556648-6204  
Registered office: Malmö, Sweden

Phone +46 (0) 40 61 99 500  
E-mail [info@deflamo.com](mailto:info@deflamo.com)  
[www.deflamo.com](http://www.deflamo.com)

# DEFLAMO | The natural way of preventing fire and saving lives

Apyrum is an intumescent flame retardant system that functions in multiple ways depending on the material and prevailing conditions; these functions include:

Endothermic reaction with superior thermal energy absorption

Intumescent / charring reaction which also prevents dripping of material in liquid state

Production of a char layer insulation removing fuel from the heat source and blocking oxygen

Smoke suppressant.

## Typical Physical Properties

Physical appearance	White powder
Particle density: (g/cm <sup>3</sup> )	1,9±0,1
Bulk density (g/cm <sup>3</sup> )	0,7-1,0
Particle size D50 (µm)	14±6
Dry substance at 105°C (%)	>99,0%
Solubility in water	Not soluble, low solubility
pH when dissolved in water	7-9,5
Decomposition point (°C)	> 250
Melting point (°C)	Does not melt (decomposes)
Flame point (°C)	Does not burn
Flash point	Not applicable
Flammability (solid, gas)	Not flammable

## Possible Specification Parameters

Water content

Particle size and fractions

## Stability & Reactivity

Conditions to avoid:

Avoid high moisture environments

Materials to avoid:

Strong acids and bases

Hazardous decomposition products:

Not known

## Handling & Storage

Handling: Avoid the formation of dust. The contents of an opened package are influenced by air moisture and should be handled according to technical specifications.

Storage: Keep bulk bagged and dry until used. Handle in a well-ventilated area if there is a risk for dust or if the product is dispersed or mixed.

Requirement for storage and packing: Keep in an area having a dry, stable temperature.

---

Deflamo AB

Höjrodergatan 32,

SE-212 39 Malmö

Sweden

Org. No. 556648-6204

Registered office: Malmö, Sweden

Phone +46 (0) 40 61 99 500

E-mail [info@deflamo.com](mailto:info@deflamo.com)

[www.deflamo.com](http://www.deflamo.com)

## Shipping Information

Packaging sizes:	PP vacuum bag on pallets, bags of 20 Kg
Transportation classification:	Non-dangerous goods
REACH:	Preregistered in REACH
Minimum purchase order: service	Available from DEFLAMO sales or customer service

*These properties are general and do not constitute a specification either in part or as a whole. Specification data is available on request from DEFLAMO sales, customer service, or customer technical service.*

## Product Use

All statements, technical information and recommendations contained in this document are based upon tests or experience that DEFLAMO believes are reliable. However, many factors beyond DEFLAMO's control can affect the use and performance of a DEFLAMO product in a particular application; this includes the conditions under which the product is used and the time and environmental conditions in which the product is expected to perform. Since these factors are solely within the user's knowledge and control, it is essential that the user evaluate the DEFLAMO product to determine whether it is fit for a particular purpose and suitable for the user's method of application.

## Limitation of Liability

Except where prohibited by law, DEFLAMO and seller will not be liable for any loss or damage arising from the DEFLAMO product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.

## Warranty and Limited Remedy

Unless stated otherwise in DEFLAMO's product literature, packaging inserts or product packaging for individual products, DEFLAMO warrants that each DEFLAMO product meets the applicable specifications at the time DEFLAMO ships the product. Individual products may have additional or different warranties as stated on product literature, package inserts or product packages. DEFLAMO MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE.

User is responsible for determining whether the DEFLAMO product is fit for a particular purpose and suitable for user's application. If the DEFLAMO product is defective within the warranty period, your exclusive remedy and DEFLAMO's and seller's sole obligation will be, at DEFLAMO's option, to replace the product or refund the purchase price.